







INDEX

Presentation	05 06
Selection guide	07 07
Bottles and suggestions	08 08
Della Marta for Nevada	09 14 Wine Display Case
4 Doors Nevada	15 20 4 Doors 90 Refrigerator with Wine Cellar
Wine Cellars Nevada	21 48 Built-in Wine Cellars
	49 62 Undertop and Free-standing Cellars
	63 78 Free standing built-in wine cellars
Vinum Design Wine Cellars	79 96 Free-standing Vinum Design Wine Cellars
Thrill	97 106 Thrill: Sanitize and Freeze glasses
Accessories	107 108
Warranty and Service	109 110







NEVADA | cool appliances

Nevada is a leading Italian brand in the production of wine cellars for wine storage.

They are designed and studied in Italy to obtain a reliable, design, innovative product, suitable for every design need.

With more than 20 years of experience in the field, Nevada offers a wide range of products for both domestic and professional use.

The wide range allows the insertion in any type of project in the kitchen, in a living area or in a public place: bar, restaurant and wine bar.

Quality Control is one of our strengths, each product is tested and checked by a team of experts before being packaged and shipped to ensure maximum reliability.

Service is guaranteed throughout the country by our after-sales service department, which guarantees prompt action in case of malfunction or accidental breakage over time.

Products are in prompt delivery and distributed throughout Italy by a network of specialized dealers.

NEVADA IS SYNONYMOUS WITH:

Quality: products made with the best materials and technologies.

Reliability: a solid and reliable company with a service presence throughout Italy.

Innovation: Nevada is constantly evolving, seeking new innovative solutions to improve wine storage and offers an increasingly complete and functional user experience.

Design: Nevada wine cellars enhance the beauty of bottles, making the wine cellar a truly elegant and modern piece of furniture suitable for any type of environment.

OUR PHILOSOPHY:

Nevada's commitment is to create products that allow people to enjoy their own space, alone or in company, in a warm and elegant environment that conveys emotions to themselves, their family members and guests.

Our dream is to create a project that is not limited to mere production and sales but that can promote values that are evoked by the product that these wineries are designed to preserve: WINE.

Wine is passion, celebration, truth, culture, history, friendship, love and is a Fil Rouge that unites all peoples!

TECHNICAL PARTNER:

We have renewed our collaboration with Gambero Rosso as a Technical Partner .







GUIDE FOR CHOOSING YOUR WINE CELLAR WINE

HOW TO CHOOSE YOUR WINE CELLAR REFRIGERATOR

A number of key variables certainly need to be taken into consideration:

Where do I want to place it?

How many bottles do I want to store?

How many temperatures do I need for different types of wine?

Do I need it for home or professional use?

Nevada's wide range allows it to meet most needs!

POSITIONING:

Wine Cellar | Free Standing Design Wine Cellar for a Sophisticated Living Environment
4 door 90 refrigerator with wine cellar | Multifunctional Free-standing Kitchen with built-in Cellar Fridge
Built-in | Wide range that integrates perfectly within kitchen columns

Udertop | Wine cellars suitable for placement in the kitchen under the Top or Free standing

Column-integrable | Wine cellars suitable for placement between kitchen columns or Free Standing

Wineries Vinum Design | Free Placement Wineries

DIMENSIONS | MEASUREMENTS ?

The NEVADA catalog shows the dimensions of each wine cellar to facilitate proper kitchen design using built-in models and proper placement for free-standing wine cellars.

HOW MANY BOTTLES?

The maximum capacity is expressed in "Standard Bordeaux" type bottles. The number of bottles shown in the catalog takes as reference the 750-ml Classic Bordeaux (sizes H 30mm and Ø 70 mm.) Any other type of bottle changes the capacity.

Most wine cellars are equipped with solid wood slatted shelves. All wooden shelves are removable and removable so that there is more space to hold any large bottles such as magnums or bottles with unconventional shapes.

SINGLE, DOUBLE OR TRIPLE TEMPERATURE ?

Single temperature is suitable for the storage or pouring of only one type of wine. All white or red, two or more temperature cellars allow storage or pouring of both white and red wine in several separate zones. Not all wine cellars have totally independent temperature zones. Check well the minimum and maximum temperatures provided for each zone.


HOME USE OR PROFESSIONAL USE?

Granted that each model can be installed in both a home and a professional environment the built-in range is definitely designed to be perfectly installed inside kitchen cabinets. The VINUM DESIGN range, on the other hand, is designed for use in a professional environment but is also perfectly suited for home use.



BOTTLES IN THE CELLAR

STANDARD DRAWERS DESIGNED TO HOLD 750ML BORDEAUX BOTTLES



Originating in Bordeaux (hence its name) it contains both white and red wines. In the former case it is almost always clear glass, in the latter it is mostly dark green.

Features :

Base: Poorly Pronounced

Body: Cylindrical Diameter from 7 to 8 Cm

Shoulder: Very Pronounced

Neck : Short Capacità: 750 Ml.


SOME TYPES OF BOTTLES

There are numerous types of bottles in the market, differing in size and shape. From the most common and widespread Bordeaux bottles to magnums. The collection of Nevada® wine cellars has numerous bottle drawers, which can be configured according to the bottles to be stored.



THE RIGHT TEMPERATURE

Even a simple bottle of wine must have its proper location and temperature.












From the collaboration with Della Marta comes a Design wine cellar made with exclusive finishes for Nevada. Della Marta is a world-leading Italian manufacturer of wine cellars for professional and domestic use.

A unique, customizable product for wine and Design lovers designed to be placed in a refined environment to embellish the dining room or living area of the home. The depth of only 39 cm and the sliding doors, make this wine cellar easily placeable in any furnishing project.



The Wine Cellar allows you to customize the interior to suit your needs by choosing from several types of bottle placement .

Depending on the size of the bottles and the interior arrangement, the capacity may vary from a minimum of about 56 to a maximum of 64 bottles.

Thanks to the different bottle holders, your collection will always be in plain sight

This Wine Cellar allows cooling to be set in Static or Ventilated cooling mode:
Ventilated | the temperature is the same throughout the cavity;
Static | the temperature stratifies according to the degrees set from a minimum in the lower zone to a maximum in the upper zone allowing proper storage of different types of wine.



Finishing made Exclusively for Nevada.

The outer frame is made of durable epoxy paint in matte black and the front panel with MDF painted in Black RAL 9005.

Internally, the structure is made entirely of aluminum also epoxy powder coated in Anodic Bronze finish.

Always well-lit interiors thanks to the Dynamic White LED Internal Light that can be customized in temperature from 2700 to 6000 K via a convenient remote control included. Thanks to the powerful 2000 Lumen/m

full-height vertical dual-emission interior lighting, your bottles will always remain clearly visible.



Control the wine cellar at any time with the ConneX app, an application that allows the user to be able to control and change, even remotely and in real time, the temperatures and settings of the display cases. The app also allows the user to take

The app also allows the user to take advantage of weekly reporting services and alerts via push messages and email.





H 186 cm











ADJUSTABLE TEMPERATURE WINE CABINET TE-H14-DX WINE CABINET| List € 8.900 △

Interior fittings Included in the price as pictured


Installation: Free standing

Capacity Ca.	56 64 Variable according to internal shelves
Type Of Command	Remote control and digital temperature controller
N° Zone Temp.	Double Temp. static or ventilated refrigeration
Temp. Mod. Static	Adjustable from 6 20°C
Temp. Mod. Ventilated	Adjustable from 6 16°C
N° Interior Shelves	Set up configurable with optional additional shelves
Outfitting Included :	1 Horizontal Bottle Rack Kit (for 16 Bottles)
	2 Inclined Bottle Holder
	3 Adjustable tops
Interior Lighting	Dynamic White LED Light 2700 6000 K
	140 led/m - 19,2 Wm - 2.000 lumen/m - 24 V).
Filter	Refillable activated carbon filter
Heater	Double Indoor Heater
Structure Finish	matte black epoxy powder coated
Front Frame	MDF frame thickness 10 mm RAL 9005 Black
Insulation Door	Sides and top made of UV-resistant double-glazed glass
Interior	Aluminum epoxy powder coated Bronze
Security	Lock with key
Compressor	Inverter
Active systems	Automatic defrosting and automatic evaporation of
	condensation
	Anti-vibration system
Quietness	37dB
Door Opening	Sliding

Product 186,5x87,4x38,8 | Packaging 206x100x80

Net Weight | Gross: 97 | 105 kg







ConneX is a wireless monitoring and control application, the app allows the user to take advantage of weekly reporting and alert services via push messages and email.

Measures (Hxlxp) Cm

Product Weight


It is possible to control and change, even remotely and in real time, the temperatures and settings of the showcases, thanks to this always-on connection system, the showcase is monitored and allows for technical support, via diagnostics, wherever the product is located in the world.

The Connex app is available on the Play Store and App Store.



SELECTABLE OPERATION SETTINGS:

Static Operation 1 2 +16°C +20°C +12°C +18°C +8°C +16°C +6°C +14°C SET 6 °C SET 14 °C * OFF OFF **HOUSE** HOUSE **TEMPERATURE TEMPERATURE** 25°C 30°C



CUSTOMIZABLE INTERIOR LAYOUT WITH OPTIONAL ADDITIONAL SHELVES:



MAX mm ø 90 mm H 330 mm

OPT-14H-BO-DX

HORIZONTAL BOTTLE STAND

1 Kit consisting of 16 possant rods. With one kit it is possible to display 4 rows of 4 bottles (16 bottles total) and is adjustable in height every 10 cm.

OPT-14H-BO-DX | List € 120 Δ



MAX mm ø 80 mm H 350 mm

OPT-14TH-BI-NR

INCLINED BOTTLE HOLDER

Thermoformed plexiglass top. This accessory can be placed at different heights and can hold 4 bottles of 0.75 cl.

OPT-14TH-BI-NR | List € 100 △



OPT-14TH-PR-NR

ADJUSTABLE TOP

Adjustable tempered glass top with shelf supports. The top is adjustable with 5 cm step. It is very useful for placing bottles vertically and glasses.

OPT-14TH-PR-NR | List € 50 △

FG-L53-D | List € 190 Δ SATIN BLACK LEAF DECANTER + DECANTER


Leaf decanter stand.


HPL base with anodized aluminum stem.





TE-H14-DX TECA VINI Measures: free standing installation











Nevada presents an absolute novelty in the world of 90 cm free-standing refrigerators: the 4 Doors with Freezer and Wine Cellar.

A Fridge with large storage capacity with Three different refrigeration zones, one of which is dedicated exclusively to wine.

It is a unique product that stands out for the quality of its interior and exterior finishes, dedicated to those looking for a multifunctional product with large capacity, low consumption and low noise.

The totally No Frost refrigerator area features an elegant rear satin stainless steel panel and crystal shelves perfect for accommodating trays up to 79 cm wide.

The No Frost freezer has 3 drawers and 3 small balconies in the counter door.

The elegant wine cellar can accommodate up to a maximum of 34 75 cl bottles. Bordeaux type, and is perfect for wine storage thanks to the activated charcoal filter and Anti-UV Triple Glass door.

The 382-liter refrigerator compartment has two sliding fruit and vegetable drawers and large balconies.

Functions Available: Rapid Cooling and Freezing, Holiday Mode, Economic Mode, Open Door Alarm.



The freezer can reach temperatures from -15°C to -25°C. Through the Display you can activate the Fast Freezing Function which automatically sets the lowest temperature to freeze your food in the shortest possible time.

The Cellar Compartment should be considered for the pouring of Red Wines in addition to the refrigerated compartment used for White Wines. Alternatively for the storage of Wines in the medium | long term.

makes all spaces visible and easily accessible, both day and night



Modern Touch Display allows you to control the temperature and various functions of the refrigerator directly on the door. This avoids the need to open and close the refrigerator with a possible negative impact on the temperature.

The Total No Frost Function in the refrigeration area reduces the formation of mold and bacteria and prevents excessive condensation by automatically adjusting the humidity inside.

The Total No Frost Function prevents the formation of ice by enabling more convenient management, as there is no need to periodically defrost the freezer.



Premium <mark>Black</mark> Metal Door Finish. Black Metal Sides

Full-length collar opening with No Handle.



Compartment Dedicated to your passion, holds up to approx. 34 bottles of 75 Cl. Bordeaux type.

Preserves your bottles in the best possible way thanks to the dedicated wooden shelves for wine storage, your bottles will always be convenient to take out thanks to the two upper shelves equipped with the sliding system on telescopic guides.

Adjustable temperature from 5 | 18° C via the door display.

Internal activated carbon filter, Topemitting LED lighting and Anti-UV Triple Glass Door





Available from June




4 DOORS REFIGERATOR 600 LT 3 TEMPERATURES NNW180-600T-B | List € 2.650 Installation: Free-standing


Total Net Capacity It	606 Fridge 382 Freezer 105 Cellar 119
Total Cellar Capacity	Capacity approx. 34 bottles (75 Cl. Bordeaux Typr)
Type Of Command	External LED Touch electronic display
Technology	Total No Frost No Ice and Frost
No. Zone	Independent Triple Temperature
Temp. Zone Refrigerator	Adjustable from 2 8°C
Temp. Zone Freezer	Adjustable from -15 -25°C
Temp. Wine Cellar Zone	Adjustable from 5 18°C
Internal Shelves Refrigerator	3 Crystal shelves of which 1 is adjustable in height
Internal Shelves Wine Cellar	4 Wooden storage shelves, including 2 full extension on
	telescopic slides
Freezer Drawers	2 Internal drawers and 1 pull-out tray
Internal Lighting	Triple White LED light with horizontal emission in the
	refrigerator, freezer and wine cellar compartment
Pannello Posteriore	Satin stainless steel inner back
Ed. :	D. I.I. A. P. M. I. C. I. M. Ethan I.A. I. M. Film C.
Filtri	Double Activated Carbon Filter Air Long Filter for
Filtri	Fridge compartment Dedicated Filter for Wine Cellar
Functions	· ·
	Fridge compartment Dedicated Filter for Wine Cellar
	Fridge compartment Dedicated Filter for Wine Cellar Rapid Cooling Function
	Fridge compartment Dedicated Filter for Wine Cellar Rapid Cooling Function Quick Freeze Function
	Fridge compartment Dedicated Filter for Wine Cellar Rapid Cooling Function Quick Freeze Function Function Holiday Mode Economic Mode
Functions	Fridge compartment Dedicated Filter for Wine Cellar Rapid Cooling Function Quick Freeze Function Function Holiday Mode Economic Mode Door Open Alarm Function
Functions Finish Door	Fridge compartment Dedicated Filter for Wine Cellar Rapid Cooling Function Quick Freeze Function Function Holiday Mode Economic Mode Door Open Alarm Function Black Door
Functions Finish Door Insulation Cellar Door	Fridge compartment Dedicated Filter for Wine Cellar Rapid Cooling Function Quick Freeze Function Function Holiday Mode Economic Mode Door Open Alarm Function Black Door Triple Low-Emission Glass
Functions Finish Door Insulation Cellar Door Handle	Fridge compartment Dedicated Filter for Wine Cellar Rapid Cooling Function Quick Freeze Function Function Holiday Mode Economic Mode Door Open Alarm Function Black Door Triple Low-Emission Glass Black Horizontal Throat
Functions Finish Door Insulation Cellar Door Handle Compressor	Fridge compartment Dedicated Filter for Wine Cellar Rapid Cooling Function Quick Freeze Function Function Holiday Mode Economic Mode Door Open Alarm Function Black Door Triple Low-Emission Glass Black Horizontal Throat Inverter 220-240 V; 50Hz; Gas R600a
Functions Finish Door Insulation Cellar Door Handle Compressor Energy Class	Fridge compartment Dedicated Filter for Wine Cellar Rapid Cooling Function Quick Freeze Function Function Holiday Mode Economic Mode Door Open Alarm Function Black Door Triple Low-Emission Glass Black Horizontal Throat Inverter 220-240 V; 50Hz; Gas R600a E Climatic N-ST
Finish Door Insulation Cellar Door Handle Compressor Energy Class Consumption Kwh/Year	Fridge compartment Dedicated Filter for Wine Cellar Rapid Cooling Function Quick Freeze Function Function Holiday Mode Economic Mode Door Open Alarm Function Black Door Triple Low-Emission Glass Black Horizontal Throat Inverter 220-240 V; 50Hz; Gas R600a E Climatic N-ST 265 KWh year
Functions Finish Door Insulation Cellar Door Handle Compressor Energy Class Consumption Kwh/Year Quietness	Fridge compartment Dedicated Filter for Wine Cellar Rapid Cooling Function Quick Freeze Function Function Holiday Mode Economic Mode Door Open Alarm Function Black Door Triple Low-Emission Glass Black Horizontal Throat Inverter 220-240 V; 50Hz; Gas R600a E Climatic N-ST 265 KWh year 41dB




NNW180-600T-B Measures :















H 45 cm



NW24S-SS-H List € 1.700



NW24S-BFG-H List € 1.700

H 60 cm



NW41D-SS-H List € 2.350



NW41D-BFG-H List € 2.350

H 72 cm



SEMI | SELF-VENTILATED
COLUMN-INSTALLABLE AND
UNDERTOP WITH VENTILATION
GRILLE IN THE BASEBOARD



NNW72-30DSA-BFG-H List € 2.400



H 88 cm

NW52D-BFG-H List € 2.500

PANELABLE



NNW60-25DA-WP-P List € 2.950



NW25D-BFG-P List € 3.200

PANELABLE



NNW72-29DA-WP-P List € 3.050



NNW72-29DA-BFG-P List € 3.350



NNW88-47DA-BFG-P List € 3.500



H 105 cm



NNW105-50D-BFG-H

List € 2.900

H 122 cm



NW70D-BFG-H List € 3.150 H 178 cm




NW93T-BFG-H List € 4.400 PANELABLE | PUSH OPEN DOOR | H 178 cm




NNW180-92D-WP-P List € 4.300

TYPES OF AERATION:

STANDARD VENTILATION



SELF-VENTILATED VENTILATION




Self-ventilated models incorporate a system that allows air to enter and exit via a front grille located behind the cellar door, facilitating installation .



The Range of Standard Built-in Nevada Wine Cellars presents the widest choice of heights on the market to offer maximum design flexibility, in particular we highlight the new 72 cm high Semi-Self-ventilated model for installation in column and undercounter and the new 105 cm high model for perfect side-by-side with the 45 cm oven and microwave column. Perfect operation is guaranteed by the installation of the lower grill in the plinth and the rear ventilation chimney.

The top of the range of the series is represented by the 178 cm model that can be triple-temperature Red | White | Champagne with the black glass door and the double-temperature model in Panelable version with Push Open Door Automatic Opening System. All the range of wine cellars are equipped with Ghost Concealed Handle, an exclusive and elegant solution to avoid the presence of a cumbersome handle without the need for an electric opening system .



Always well-lit interior thanks to the LED interior light with dual horizontal light emission, your bottles will always be clearly visible.

All range of Standard built-in cellars are equipped with Full Glass black glass door with retractable handle called GHOST, depending on the model it will be positioned vertically or horizontally. Insulated against harmful UV rays, the doors are equipped by double or triple low-e glass

To ensure optimal air quality at all times, most standard built-in models are equipped with Activated Carbon Filter, which eliminate odors that can affect the taste of wine and protect bottle corks from mold and bacteria.

All interior Shelves are made of fine wood, and most models have Shelves on telescopic rails that facilitate the insertion and removal of bottles.



The Range of Self-ventilated Built-in Wine Cellars are born to meet the requirements of the most demanding customers in terms of Design and performance. In fact, these wine cellars are equipped with an integrated ventilation system; air entry and exit is through a front grille located behind the door, this allows it to be installed easily, with no grilles in the kitchen plinth and no rear spaces for hot air to escape.

With an elegant and minimalist Design, these wine cellars are the ideal solution for kitchens designed without handles, thanks to the innovative Push Open | Close Door opening system that allows the door to be opened with a slight pressure in the upper corner opposite the hinge. To complete the range in the heights of 60 and 72 we have included two Panelable models that allow the perfect integration of the wine cellar inside the kitchen with the installation of the frame in the same finish as the doors used in the kitchen.

Recall that the 60 and 72 cm Self-ventilated models can also be perfectly installed under the kitchen top.



Interior always well-lit thanks to the LED interior light with dual vertical and horizontal light emission

Customize your wine cellar by choosing from 9 different light colors and adjust the light intensity to your liking so that your bottles are always clearly visible.

The Range of Self-ventilated Wine Cellars are equipped with Inverter Compressors that guarantee not only quieter operation, longer life and low energy consumption, in fact they are all in energy class F.

Black Full Glass door with no visible handle and Triple Low-Emission Glass w/gas Argon to protect your wines from harmful UV rays. Thanks to Hettich's durable hinges and innovative Push to Open | Soft Close system, with a slight pressure the door will open automatically.

All interior Shelves are made of fine wood and thanks to the telescopic guides with Total extraction, the shelves are easily removable, facilitating the insertion and removal of bottles.

To ensure optimal air quality at all times, Nevada wine cellars are equipped with Activated Carbon Filter, which eliminate odors that can affect the taste of wine and protect bottle corks from mold and bacteria.





H 45 cm













H 45 cm











CELLAR 24 BOTTLES 1 TEMPERATURE NW24S-BFG-H | List € 1.700 Installation: Built-in

Capacity approx. 24 bottles (75 Cl. Bordeaux type) Capacity Approx. Control Type Advanced Computer, Soft Touch, LED Display No. of Zones Temp. Single Temperature Zone Temperature Adjustable from 5 | 20°C No. of Internal Shelves 3 Sliding Shelves Type of Shelves Wooden Storage Shelves Internal Lighting White LED Light Single Horizontal emission Door Finish Black Full Glass Door Insulation Double Glass Low Emissive Handle Ghost Horizontal Black Standard; 220-240 V; 50Hz; Gas R600a ${\sf Compressor}$ Energy Class F | Climatic N 100 KWh|year Consumption Kwh|Year Quietness 37dB Door Reversibility Reversible Dimensions (Hxlxp) Cm Product 45.5x59x55.7 | Packaging 51x64x64 **Product Weight** Net Weight | Gross: 27 | 31 kg Ean Code 0607111417989

CELLAR 24 BOTTLES 1 TEMPERATURE NW24S-SS-H | List € 1.700

Installation: Built-in

Capacity Approx.	Capacity approx. 24 bottles (75 Cl. Bordeaux type)
Control Type	Advanced Computer, Soft Touch, LED Display
No. of Zones Temp.	Single Temperature
Zone Temperature	Adjustable from 5 20°C
No. of Internal Shelves	3 Sliding Shelves
Type of Shelves	Wooden Storage Shelves
Internal Lighting	White LED Light Single Horizontal emission
Door Finish	Brushed steel
Door Insulation	Double Glass Low Emissive
Handle	Ghost Horizontal Black
Compressor	Standard; 220-240 V; 50Hz; Gas R600a
Energy Class	F Climatic N
Consumption Kwh Year	100 KWh year
Quietness	37dB
Door Reversibility	Reversible
Dimensions (Hxlxp) Cm	Product 45.5x59x55.7 Packaging 51x64x64
Product Weight	Net Weight Gross: 27 31 kg
Ean Code	0700598872705





H 60 cm













H 60 cm











CELLAR 41 BOTTLES 2 TEMPERATURES NW41D-BFG-H | List € 2.350

Installation: Built-in

Capacity Approx.	Capacity approx. 41 bottles (75 Cl. Bordeaux type)
Control Type	Advanced Computer, Soft Touch, Display LED
No. of Zones Temp.	Double Temperature
Upper zone Temp.	Adjustable da 5 10°C
Lower zone Temp.	Adjustable da 10 20°C
No. of Internal Shelves	3 Sliding Shelves on Telescopic Guides
Type of Shelves	Wooden Storage Shelves
Internal Lighting	LED light 3 colors Double horizontal emission
Filter	Activated carbon filter
Heater	Single Indoor Heater
Door Finish	Black Full Glass
Door Insulation	Double Glass Low-Emission
Handle	Ghost Vertical Black
Compressor	Standard; 220-240 V; 50Hz; Gas R600a
Energy Class	G Climatic N
Consumption Kwh Year	142 KWh year
Quietness	38dB
Door Reversibility	Reversible
Measures (Hxlxp) Cm	Product 59,5x59x56,5 Packaging 65x64x64
Product Weight	Net Weight Gross: 39 44 kg
Ean Code	0607111418313

CELLAR 41 BOTTLES 2 TEMPERATURES NW41D-SS-H | List € 2.350 Installation: Built-in

Capacity Approx.	Capacity approx. 41 bottles (75 Cl. Bordeaux type)
Control Type	Advanced Computer, Soft Touch, Display LED
No. of Zones Temp.	Double Temperature
Upper zone Temp.	Adjustable da 5 10°C
Lower zone Temp.	Adjustable da 10 20°C
No. of Internal Shelves	3 Sliding Shelves on Telescopic Guides
Type of Shelves	Wooden Storage Shelves
Internal Lighting	LED light 3 colors Double horizontal emission
Filter	Activated carbon filter
Heater	Single Indoor Heater
Door Finish	Brushed Steel
Door Insulation	Double Glass Low-Emission
Handle	Ghost Vertical Inox
Compressor	Standard; 220-240 V; 50Hz; Gas R600a
Energy Class	G Climatic N
Consumption Kwh Year	142 KWh year
Quietness	38dB
Door Reversibility	Reversible
Measures (Hxlxp) Cm	Product 59,5x59x56,5 Packaging 65x64x64
Product Weight	Net Weight Gross: 39 44 kg
Ean Code	0700598872798
	· · · · · · · · · · · · · · · · · · ·



H 60 cm









PUSH TO OPEN

CELLAR 24 BOTTLES 2 TEMPERATURES NW25D-BFG-PR60 | PL60 List € 3.200 Installation: Built-in | Undertop Self-ventilated

Capacity Approx.	Capacity approx. 24 bottles (75 Cl. Bordeaux type)
Control Type	Advanced Computer, Soft Touch, LCD Display
No. of Zones Temp.	Dual Temperature
Upper zone Temp.	Adjustable from 5 12°C
Lower zone Temp.	Adjustable from 12 20°C
No. of Internal Shelves	3 Sliding Shelves on Telescopic Guides with Total
	Extraction
Type of Shelves	Wooden Storage Shelves
Internal Lighting	99-color LED light adjustable in intensity
	Double horizontal and vertical emission
Filter	Activated Carbon Filter
Heater	Mono Heater Internal
Door Finish	Black Full Glass
Door Insulation	Triple Low Emissive Glass w/Argon gas
Handle	Push To Open Hettich Soft Close
Compressor	Inverter Embraco 220-240 V; 50Hz-60Hz; R600a
Energy Class	F Climatic ST-N
Consumption Kwh Year	101 KWh year
Quietness	36dB
Door Reversibility	PR60 Right Hinge PL60 Left Hinge
Measures (Hxlxp) Cm	Product 59.5x59.5x56 Packing 66.3x66.2x64.8
Product Weight	Net Weight Gross: 45 50 kg
Ean Code	PR60 0666186409640 PL60 0666186409657

PANELABLE



H 60 cm











Available from September

CELLAR 24 BOTTLES 2 TEMPERATURES NNW60-25DA-WP-PR | PL List € 2.950 Installation: Built-in | Undertop Self-ventilated

Capacity Approx.	Capacity approx. 24 bottles (75 Cl. Bordeaux type)
Control Type	Advanced Computer, Soft Touch, LCD Display
No. of Zones Temp.	Dual Temperature
Upper zone Temp.	Adjustable from 5 12°C
Lower zone Temp.	Adjustable from 12 20°C
No. of Internal Shelves	3 Sliding Shelves on Telescopic Guides with Total
	Extraction
Type of Shelves	Wooden Storage Shelves
Internal Lighting	99-color LED light adjustable in intensity
	Double horizontal and vertical emission
Filter	Activated Carbon Filter
Heater	Mono Heater Internal
Door Finish	To be Paneled
Door Insulation	Double Low Emissive Glass
Handle	Push To Open Hettich Soft Close
Compressor	Inverter Embraco 220-240 V; 50Hz-60Hz; R600a
Energy Class	F Climatic ST-N
Consumption Kwh Year	101 KWh year
Quietness	36dB
Door Reversibility	PR Right Hinge PL Left Hinge
Measures (Hxlxp) Cm	Product 59.5x59.5x56 Packing 66.3x66.2x64.8
Product Weight	Net Weight Gross: 45 50 kg
Ean Code	PR 0666186409756 PL 0666186409763







H 72 cm



Available from July

CELLAR 30 BOTTLES 2 TEMPERATURES NNW72-30DSA-BFG-HR | HL List € 2.400 Installation: Built-in | Undertop Self-ventilated

Capacity Approx.	Capacity approx. 30 bottles (75 Cl. Bordeaux type)
Control Type	Advanced Computer, Soft Touch, Display LED
No. of Zones Temp.	Double Temperature
Upper zone Temp.	Adjustable from 4 10°C
Lower zone Temp.	Adjustable from 10 18°C
No. of Internal Shelves	4 Internal Shelves on Telescopic Slides
Type of Shelves	Wooden Storage Shelves
Internal Lighting	White LED light Double horizontal emission
Heater	Single Indoor Heater
Door Finish	Black Full Glass
Door Insulation	Triple Low-Emission Glass
Handle	Vertical Ghost Black
Compressor	Inverter Embraco 220-240 V; 50Hz-60Hz; R600a
Energy Class	G Climatic ST
Consumption Kwh Year	140 KWh year
Quietness	41dB
Door Reversibility	HR Right Hinge HL Left Hinge
Measures (Hxlxp) Cm	Product 71,5x59,2x58 Packaging 79x71x74,5
Product Weight	Net Weight Gross: 41 47 kg
Ean Code	HR 0666186409770 HL 0666186409787







PANELABLE



H 72 cm

SELF-VENTILATED

ENERGE TIC CLASS PUSH TO OPEN

SELF-VENTILATED

ENERGE TIC CLASS PUSH TO OPEN

H 72 cm

Available from June

CELLAR 29 BOTTLES 2 TEMPERATURES NNW72-29DA-BFG-PR | PL List € 3.350 Installation: Built-in | Undertop Self-ventilated

Capacity Approx.	Capacity approx. 29 bottles (75 Cl. Bordeaux type
Control Type	Advanced Computer, Soft Touch, Display LED
No. of Zones Temp.	Double Temperature
Upper zone Temp.	Adjustable from 5 12°C
Lower zone Temp.	Adjustable from 12 20°C
No. of Internal Shelves	4 Sliding Shelves on Telescopic Full Extension
	Slides
Type of Shelves	Wooden Storage Shelves
Internal Lighting	LED light 9 colors adjustable in intensity Double
	horizontal and vertical emission
Filter	Activated carbon filter
Heater	Single Indoor Heater
Rear Panel	Inox inner backrest
Door Finish	Black Full Glass
Door Insulation	Triple Low-Emission Glass w/ Argon Gas
Handle	Opening Push To Open Hettich Soft Close
Compressor	Inverter Embraco 220-240 V; 50Hz-60Hz; R600a
Energy Class	F Climatic ST-N
Consumption Kwh Year	94 KWh year
Quietness	38dB
Door Reversibility	PR Right Hinge PL Left Hinge
Measures (Hxlxp) Cm	Product 71,5x59,5x56 Packaging 74,9x66,2x64,8
Product Weight	Net Weight Gross: 50,6 54,4 kg
Ean Code	PR 0666186409688 PL 0666186409695

Available from September

CELLAR 29 BOTTLES 2 TEMPERATURES NNW72-29DA-WP-PR | PL List € 3.050 Installation: Built-in | Undertop Self-ventilated

Capacity Approx.	Capacity approx. 29 bottles (75 Cl. Bordeaux type)
Control Type	Advanced Computer, Soft Touch, Display LED
No. of Zones Temp.	Double Temperature
Upper zone Temp.	Adjustable from 5 12°C
Lower zone Temp.	Adjustable from 12 20°C
No. of Internal Shelves	4 Sliding Shelves on Telescopic Full Extension
	Slides
Type of Shelves	Wooden Storage Shelves
Internal Lighting	LED light 9 colors adjustable in intensity Double
	horizontal and vertical emission
Filter	Activated carbon filter
Heater	Single Indoor Heater
Rear Panel	Inox inner backrest
Rear Panel Door Finish	Inox inner backrest To be Paneled
Door Finish	To be Paneled
Door Finish Door Insulation	To be Paneled Double Glass Low-Emission
Door Finish Door Insulation Handle	To be Paneled Double Glass Low-Emission Opening Push To Open Hettich Soft Close
Door Finish Door Insulation Handle Compressor	To be Paneled Double Glass Low-Emission Opening Push To Open Hettich Soft Close Inverter Embraco 220-240 V; 50Hz-60Hz; R600a
Door Finish Door Insulation Handle Compressor Energy Class	To be Paneled Double Glass Low-Emission Opening Push To Open Hettich Soft Close Inverter Embraco 220-240 V; 50Hz-60Hz; R600a F Climatic ST-N
Door Finish Door Insulation Handle Compressor Energy Class Consumption Kwh Year	To be Paneled Double Glass Low-Emission Opening Push To Open Hettich Soft Close Inverter Embraco 220-240 V; 50Hz-60Hz; R600a F Climatic ST-N 94 KWh year
Door Finish Door Insulation Handle Compressor Energy Class Consumption Kwh Year Quietness	To be Paneled Double Glass Low-Emission Opening Push To Open Hettich Soft Close Inverter Embraco 220-240 V; 50Hz-60Hz; R600a F Climatic ST-N 94 KWh year 38dB
Door Finish Door Insulation Handle Compressor Energy Class Consumption Kwh Year Quietness Door Reversibility	To be Paneled Double Glass Low-Emission Opening Push To Open Hettich Soft Close Inverter Embraco 220-240 V; 50Hz-60Hz; R600a F Climatic ST-N 94 KWh year 38dB PR Right Hinge PL Left Hinge
Door Finish Door Insulation Handle Compressor Energy Class Consumption Kwh Year Quietness Door Reversibility Measures (Hxlxp) Cm	To be Paneled Double Glass Low-Emission Opening Push To Open Hettich Soft Close Inverter Embraco 220-240 V; 50Hz-60Hz; R600a F Climatic ST-N 94 KWh year 38dB PR Right Hinge PL Left Hinge Product 71,5x59,5x56 Packaging 74,9x66,2x64,8





H 88 cm











CELLAR 52 BOTTLES 2 TEMPERATURES NW52D-BFG-H | List € 2.500 Installation: Built-in

Capacity Approx.	Capacity approx. 52 bottles (75 Cl. Bordeaux type)
Control Type	Advanced Computer, Soft Touch, Display LED
No. of Zones Temp.	Double Temperature
Upper zone Temp.	Adjustable from 5 10°C
Lower zone Temp.	Adjustable from 10 20°C
No. of Internal Shelves	4 Sliding shelves
Type of Shelves	Wooden Storage Shelves
Internal Lighting	LED light 3 colors Double horizontal emission
Filter	Activated carbon filter
Heater	Single Indoor Heater
Door Finish	Black Full Glass
Door Insulation	Double Glass Low-Emission
Handle	Ghost Vertical Black
Compressor	Standard; 220-240 V; 50Hz; Gas R600a
Energy Class	G Climatic N
Consumption Kwh Year	140 KWh year
Quietness	39dB
Door Reversibility	Reversible
Measures (Hxlxp) Cm	Product 88,5x59x55,7 Packaging 92,5x64x64
Product Weight	Net Weight Gross: 49 54 kg
Ean Code	0607111418368



H 88 cm









Available from June

CELLAR 47 BOTTLES 2 TEMPERATURES NNW88-47DA-BFG-PR | PL List € 3.500 Installation: Built-in Self-ventilated

Capacity Approx.	Capacity approx. 47 bottles (75 Cl. Bordeaux type)
Control Type	Advanced Computer, Soft Touch, Display LED
No. of Zones Temp.	Double Temperature
Upper zone Temp.	Adjustable from 5 12°C
Lower zone Temp.	Adjustable from 12 20°C
No. of Internal Shelves	5 Sliding Shelves on Telescopic Full Extension
	Slides
Type of Shelves	Wooden Storage Shelves
Internal Lighting	LED light 9 colors adjustable in intensity Double
	horizontal and vertical emission
Filter	Activated carbon filter
Heater	Single Indoor Heater
Rear panel	Inox inner backrest
Rear panel Door Finish	Inox inner backrest Black Full Glass
· ·	
Door Finish	Black Full Glass
Door Finish Door Insulation	Black Full Glass Triple Low-Emission Glass w/ Argon Gas
Door Finish Door Insulation Handle	Black Full Glass Triple Low-Emission Glass w/ Argon Gas Opening Push To Open Hettich Soft Close
Door Finish Door Insulation Handle Compressor	Black Full Glass Triple Low-Emission Glass w/ Argon Gas Opening Push To Open Hettich Soft Close Inverter Embraco 220-240 V; 50Hz-60Hz; R600a
Door Finish Door Insulation Handle Compressor Energy Class	Black Full Glass Triple Low-Emission Glass w/ Argon Gas Opening Push To Open Hettich Soft Close Inverter Embraco 220-240 V; 50Hz-60Hz; R600a F Climatic ST-N
Door Finish Door Insulation Handle Compressor Energy Class Consumption Kwh Year	Black Full Glass Triple Low-Emission Glass w/ Argon Gas Opening Push To Open Hettich Soft Close Inverter Embraco 220-240 V; 50Hz-60Hz; R600a F Climatic ST-N 108 KWh year
Door Finish Door Insulation Handle Compressor Energy Class Consumption Kwh Year Quietness	Black Full Glass Triple Low-Emission Glass w/ Argon Gas Opening Push To Open Hettich Soft Close Inverter Embraco 220-240 V; 50Hz-60Hz; R600a F Climatic ST-N 108 KWh year 38dB
Door Finish Door Insulation Handle Compressor Energy Class Consumption Kwh Year Quietness Door Reversibility	Black Full Glass Triple Low-Emission Glass w/ Argon Gas Opening Push To Open Hettich Soft Close Inverter Embraco 220-240 V; 50Hz-60Hz; R600a F Climatic ST-N 108 KWh year 38dB PR Right Hinge PL Left Hinge
Door Finish Door Insulation Handle Compressor Energy Class Consumption Kwh Year Quietness Door Reversibility Measures (Hxlxp) Cm	Black Full Glass Triple Low-Emission Glass w/ Argon Gas Opening Push To Open Hettich Soft Close Inverter Embraco 220-240 V; 50Hz-60Hz; R600a F Climatic ST-N 108 KWh year 38dB PR Right Hinge PL Left Hinge Product 88,5x59,5x56 Packaging 95x66,2x64,8





H 105 cm









Available from September

CELLAR 53 BOTTLES 2 TEMPERATURES NNW105-50D-BFG-HR | HL List € 2.900 Installation: Built-in

Capacity approx. 53 bottles (75 Cl. Bordeaux type)
Advanced Computer, Soft Touch, Display LED
Double Temperature
Adjustable from 5 20°C
Adjustable from 5 20°C
7 Internal Shelves on Telescopic Slides
Wooden Storage Shelves
White LED light Double horizontal emission
Single Indoor Heater
Black Full Glass
Triple Low-Emission Glass
Ghost Vertical Black
Inverter Embraco 220-240 V; 50Hz-60Hz; R600a
G Climatic ST
105 KWh year
38dB
HR Right Hinge HL Left Hinge
Product 105,5x59,5x55,5 Packaging 112x72,5x70,5
Net Weight Gross: 65 75 kg
HR 0666186409817 HL 0666186409824



H 122 cm









GHOST BLACK

CELLAR 74 BOTTLES 2 TEMPERATURES NW70D-BFG-H | List € 3.150 Installation: Built-in

Capacity Approx.	Capacity approx. 74 bottles (75 Cl. Bordeaux type)
Control Type	Advanced Computer, Soft Touch, Display LED
No. of Zones Temp.	Double Temperature
Upper zone Temp.	Adjustable from 5 12°C
Lower zone Temp.	Adjustable from 12 22°C
No. of Internal Shelves	10 Sliding shelves
Type of Shelves	Wooden Storage Shelves
Internal Lighting	White LED light Double horizontal emission
Filter	Activated carbon filter
Heater	Single Indoor Heater
Door Finish	Black Full Glass
Door Insulation	Double Glass Low-Emission
Handle	Ghost Vertical Black
Compressor	Standard; 220-240 V; 50Hz; Gas R600a
Energy Class	G Climatic ST-N
Consumption Kwh Year	169 KWh year
Quietness	39dB
Door Reversibility	Reversible
Measures (Hxlxp) Cm	Product 123,3x59,5x57 Packaging 131x65x69
Product Weight	Net Weight Gross: 71 73 kg
Ean Code	0705586955491







H 180 cm



CELLAR 93 BOTTLES 3 TEMPERATURES NW93T-BFG-H | List € 4.400 Installation: Built-in

1121	unu	HOH.	Duill	-111

Capacity Approx.	Capacity approx. 93 bottles (75 Cl. Type Bordeaux)
Control Type	Advanced Computer, Soft Touch, Display LED
No. of Zones Temp.	Triple Temperature
Upper zone Temp.	Adjustable from 12 22°C
Intermediate zone Temp.	Adjustable from 10 20°C
Lower zone Temp.	Adjustable from 5 12°C
No. of Internal Shelves	10 Sliding Shelves on Telescopic Guides
Type of Shelves	9 Wooden Storage Shelves
•	1 Wooden shelves for pouring
Internal Lighting	LED light 3 colors Triple horizontal emission
Heater	Double Indoor Heater
Rear panel	lnox inner backrest
Door Finish	Black Full Glass
Door Insulation	Double Glass Low-Emission
Handle	Ghost Vertical Black
Compressor	Standard; 220-240 V; 50Hz; Gas R600a
Energy Class	G Climatic N
Consumption Kwh Year	162 KWh year
Quietness	38dB
Door Reversibility	Reversible
Measures (Hxlxp) Cm	Product 178,8x59,3x55,7 Packaging 186,5x65,5x66
Product Weight	Net Weight Gross: 96 106 kg
Ean Code	0705586955064







Wooden Storage Shelf









Push to Open Panelable door equipped with Hettich hinges with Soft Open | Soft Close opening mechanism

Always well-lit interior thanks to white LED interior light with double vertical full-height light emission, your bottles will always remain clearly visible

All interior Shelves are made of fine wood and offer different types of use, so you can always store your wine at its best.

Thanks to the telescopic guides, the shelves can be easily pulled out, making it easier to insert and remove bottles



Wooden Shelf for Pouring

The new multi-purpose wooden shelf allows maximizing the capacity of bottles inside. It allows use both for storing wine horizontally and if necessary, by tilting the slats, transforming it into a wine-pouring shelf.



Exclusive Sommelier Set Shelf

Thanks to the sommelier set you will amaze your guests by professionally decanting the finest wines. With the new Sommelier Set you always have all the complete tools at hand.

The Shelf offers other conveniences: enjoy champagne and white wine in chilled glasses and keep wine bottles at the perfect temperature once opened.



Wooden Storage Shelf

Store your bottles at their best with the dedicated wine storage shelf, your bottles will always be convenient to take out thanks to the sliding system on telescopic slides.













Available from July

Measures (Hxlxp) Cm Product Weight

Ean Code

CELLAR 92 BOTTLES 2 TEMPERATURES NNW180-92D-WP-PR | PL List € 4.300 Installation: Built-in Panelable

Capacity approx. 92 bottles (75 Cl. Bordeaux type) Capacity Approx. Advanced Computer, Soft Touch, Display LED Control Type No. of Zones Temp. Double Temperature Adjustable from 5 | 20°C Upper zone Temp. Lower zone Temp. Adjustable from 5 | 20°C No. of Internal Shelves 12 Internal Shelves on Telescopic Slides Type of Shelves 9 Wooden Storage Shelves 2 Wooden shelves for pouring 1 Sommelier Set Internal Lighting White LED Light Double Vertical Emission Filter Activated carbon filter Single Indoor Heater Heater Door Finish To be Paneled Door Insulation Triple Low-Emission Glass Opening Push To Open | Hettich Soft Close Handle Inverter Embraco 220-240 V; 50Hz-60Hz; R600a Compressor **Energy Class** $\mathsf{G} \mid \mathsf{Climatic} \; \mathsf{ST}$ Consumption Kwh|Year 159 KWh|year Quietness 38dB Door Reversibility PR Right Hinge | PL Left Hinge

Product 179x59,5x57,5 | Packaging 189x73x71


Net Weight | Gross: 97 | 125 kg PR 0666186409831 | PL 0666186409848










NW24S-BFG-H NW24S-SS-H Measures:


















NNW105-50D-BFG Measures:






NW70D-BFG-H Measures:




NW93T-BFG-H Measures:





NNW72-30DSA-BFG-H Measures:




N° OF BOTTLES:


Maximum capacity is expressed in No. of "Standard Bordeaux" type bottles. The number of bottles indicated in the catalog takes as reference the classic 750 ml Bordeaux type (measures H 30mm and Ø 70 mm.) Any other type of bottle modifies the capacity.

All wooden shelves are removable and removable in order to obtain a larger space to hold any large bottles such as magnums or bottles with unconventional shapes.












NNW88-47DA-BFG-P Measures:







NNW180-92D-WP-P Measures:







L 15 cm

L 30 cm

L 38 cm



NNW82-20D-BFG-NH List € 1.450



NNW82-30D-BFG-NH List € 1.680



NW9S-BFG-H List € 850



NNW82-20S-BFG-NH List € 1.350



NNW82-30S-BFG-NH List € 1.500



L 60 cm



NNW82-50D-BFG-NH List € 2.300



NNW82-50D-SS-NH List € 2.300



NNW82-50S-BFG-NH List € 2.100



The Range of Nevada wine cellars with Undercounter installation are perfect to be installed under the kitchen top between the base cabinets allowing, thanks to the various widths available, a good flexibility of use.

The Undercounter wine cellars, with the exception of NW9S, are equipped with Removable Front Grid that allows the installation of the kitchen plinth without interruption, for proper operation will be to provide a grid/milled for the passage of front air. This solution involves the elimination of the lock.

The wine cellars of this line offer maximum flexibility of use in any other environment being to all intents and purposes from Free Standing, the range offers single or double temperature models that can possibly be placed side by side.

The range features the exclusive NO HANDLE side groove that allows perfect matchability and reduces to zero the size of the handle

Professional performance thanks to the advanced control with Lcd Touch Display that allows you to easily manage the internal temperature Maximum Flexibility of use thanks to the Independent Dual Temperature, you can adjust the temperature from +2°C to +20°C to your liking in every cellar compartment

Always well-lit interior thanks to the full-height LED interior light with dual horizontal and vertical light emission. Customize your wine cellar by choosing from 3 different light colors, your bottles will always remain clearly visible.

UV Rays are harmful, they can cause chemical reactions in wines, so the Door is equipped with a Triple Low-Emission Glass so as to better protect

your wines.



New elegant and minimalist Black Full Glass door with NO HANDLE hidden side groove.



Wooden Shelf for Pouring

The new multi-purpose wooden shelf allows maximizing the capacity of bottles inside. It allows use both for storing wine horizontally and if necessary, by tilting the slats, transforming it into a wine-mixing shelf.

Front Grille with Key Lock

To allow the front passage of the kitchen plinth without any interruption, at the basement the front grille can be removed losing the use of the lock.

A ventilation grille should be provided in the Plinth.









L 15 cm











CELLAR 9 BOTTLES 1 TEMPERATURE NW9S-BFG-H | List € 850 Installation: Undertop | Free-standing

Capacity Approx.	Capacity approx. 9 bottles (75 Cl. Bordeaux type)
Control Type	Computer Touch con Display LED
No. of Zones Temp.	Single Temperature
Zone Temp.	Adjustable from 2 20°C
No. of Internal Shelves	9 Fixed Staves
Type of Shelves	7 wooden staves for storage, 2 for service
Internal Lighting	White LED light Double horizontal emission
Filter	Activated carbon filter
Heater	Single Indoor Heater
Door Finish	Black Full Glass
Door Insulation	Double Glass Low-Emission
Handle	Ghost Horizontal Black
Security	Lock with key
Grid	Front Fixed
Compressor	Standard; 220-240 V; 50Hz; Gas R600a
Energy Class	G Climatic N-ST
Consumption Kwh Year	106 KWh year
Quietness	38dB
Door Reversibility	Reversible
Measures (Hxlxp) Cm	Product 82x15x52,5 Packaging 84,5x18,5x58
Product Weight	Net Weight Gross: 20 22 kg
Ean Code	0705586955194





L 30 cm











CELLAR 17 BOTTLES 2 TEMPERATURES NNW82-20D-BFG-NH | List € 1.450 Installation: Undertop | Free-standing

Capacity Approx.	Capacity approx. 17 bottles (75 Cl. Bordeaux type)
Control Type	Advanced Computer, Soft Touch, Display LCD
No. of Zones Temp.	Double Temperature
Upper zone Temp.	Adjustable from 2 12°C
Lower zone Temp.	Adjustable from 12 20°C
No. of Internal Shelves	5 Sliding shelves
Type of Shelves	Wooden Storage Shelves
Internal Lighting	LED light 3 colors Double horizontal emission
Filter	Activated carbon filter
Heater	Single Indoor Heater
Door Finish	Black Full Glass
Door Insulation	Double Glass Low-Emission
Handle	Lateral Throat
Security	Lock with key
Grid	Retractable front end
Compressor	Standard; 220-240 V; 50Hz; Gas R600a
Energy Class	G Climatic N-ST
Consumption Kwh Year	120 KWh year
Quietness	38dB
Door Reversibility	Reversible
Measures (Hxlxp) Cm	Product 82x29,5x57,8 Packaging 85,8x33,2x62,5
Product Weight	Net Weight Gross: 30 33 kg
Ean Code	0666186409732



L 30 cm











CELLAR 19 BOTTLES 1 TEMPERATURE NNW82-20S-BFG-NH | List € 1.350 Installation: Undertop | Free-standing

Capacity Approx.	Capacity approx. 19 bottles (75 Cl. Bordeaux type)
Control Type	Advanced Computer, Soft Touch, Display LCD
No. of Zones Temp.	Single Temperature
Zone Temp.	Adjustable from 2 20°C
No. of Internal Shelves	6 Sliding shelves
Type of Shelves	Wooden Storage Shelves
Internal Lighting	LED light 7 colors Double horizontal emission
Filter	Activated carbon filter
Heater	Single Indoor Heater
Door Finish	Black Full Glass
Door Insulation	Double Glass Low-Emission
Handle	Lateral Throat
Security	Lock with key
Grid	Retractable front end
Compressor	Standard; 220-240 V; 50Hz; Gas R600a
Energy Class	G Climatic N-ST
Consumption Kwh Year	133 KWh year
Quietness	41dB
Door Reversibility	Reversible
Measures (Hxlxp) Cm	Product 82x29,5x57,8 Packaging 85,8x33,2x62,5
Product Weight	Net Weight Gross: 30 33 kg
Ean Code	0666186409855





L 38 cm











CELLAR 28 BOTTLES 2 TEMPERATURES NNW82-30D-BFG-NH | List € 1.680 Installation: Undertop | Free-standing

Capacity Approx.	Capacity approx. 28 bottles (75 Cl. Bordeaux type)
Control Type	Advanced Computer, Soft Touch, Display LCD
No. of Zones Temp.	Double Independent Temperature
Upper zone Temp.	Adjustable from 2 20°C
Lower zone Temp.	Adjustable from 2 20°C
No. of Internal Shelves	6 Sliding shelves
Type of Shelves	Wooden Storage Shelves
Internal Lighting	LED light 7 colors Double horizontal emission
Filter	Double Activated Carbon Filter
Heater	Double Indoor Heater
Door Finish	Black Full Glass
Door Insulation	Triple Low-Emission Glass
Handle	Lateral Throat
Security	Lock with key
Grid	Retractable front end
Compressor	Standard; 220-240 V; 50Hz; Gas R600a
Energy Class	G Climatic N-ST
Consumption Kwh Year	138 KWh year
Quietness	40dB
Door Reversibility	Reversible
Measures (Hxlxp) Cm	Product 82x38x57,8 Packaging 87x43,5x65,5
Product Weight	Net Weight Gross: 37 38 kg
Ean Code	0666186409749



L 38 cm









NO HANDLE

CELLAR 31 BOTTLES 1 TEMPERATURE NNW82-30S-BFG-NH | List € 1.500 Installation: Undertop | Free-standing

Capacity Approx.	Capacity approx. 31 bottles (75 Cl. Bordeaux type)
Control Type	Advanced Computer, Soft Touch, Display LCD
No. of Zones Temp.	Single Temperature
Zone Temp.	Adjustable from 2 20°C
No. of Internal Shelves	6 Sliding shelves
Type of Shelves	Wooden Storage Shelves
Internal Lighting	LED light 7 colors Double horizontal emission
Filter	Activated carbon filter
Heater	Single Indoor Heater
Door Finish	Black Full Glass
Door Insulation	Triple Low-Emission Glass
Handle	Lateral Throat
Security	Lock with key
Grid	Retractable front end
Compressor	Standard; 220-240 V; 50Hz; Gas R600a
Energy Class	G Climatic N-ST
Consumption Kwh Year	139 KWh year
Quietness	42dB
Door Reversibility	Reversible
Measures (Hxlxp) Cm	Product 82x38x57,8 Packaging 87x43,5x65,5
Product Weight	Net Weight Gross: 34 36 kg
Ean Code	0666186409862



















Capacity Approx.	Capacity approx. 46 bottles (75 Cl. Bordeaux type)
Control Type	Advanced Computer, Soft Touch, Display LCD
No. of Zones Temp.	Double Independent Temperature
Upper zone Temp.	Adjustable from 2 20°C
Lower zone Temp.	Adjustable from 2 20°C
No. of Internal Shelves	6 Sliding shelves
Type of Shelves	4 Wooden Storage Shelves
	2 Wooden shelves for Pouring
Internal Lighting	LED light 3 colors
	Double horizontal and vertical emission
Filter	Double Activated Carbon Filter
Heater	Double Indoor Heater
Door Finish	Black Full Glass
Door Insulation	Triple Low-Emission Glass
Handle	Lateral Throat
Security	Lock with key
Grid	Retractable front end
Compressor	Standard; 220-240 V; 50Hz; Gas R600a
Energy Class	G Climatic N-ST
Consumption Kwh Year	141 KWh year
Quietness	38dB
Door Reversibility	Reversible
Measures (Hxlxp) Cm	Product 82x59,5x58,5 Packaging 87,4x62,5x66
Product Weight	Net Weight Gross: 47 49 kg
Ean Code	0666186409664



L 60 cm











CELLAR 46 BOTTLES 2 TEMPERATURES NNW82-50D-SS-NH | List € 2.300 Installation: Undertop | Free-standing

Capacity Approx.	Capacity approx. 46 bottles (75 Cl. Bordeaux type)
Control Type	Advanced Computer, Soft Touch, Display LCD
No. of Zones Temp.	Double Independent Temperature
Upper zone Temp.	Adjustable from 2 20°C
Lower zone Temp.	Adjustable from 2 20°C
No. of Internal Shelves	6 Sliding shelves
Type of Shelves	4 Wooden Storage Shelves
	2 Wooden shelves for Pouring
Internal Lighting	LED light 3 colors
	Double horizontal and vertical emission
Filter	Double Activated Carbon Filter
Heater	Double Indoor Heater
Door Finish	Brushed Steel
Door Insulation	Triple Low-Emission Glass
Handle	Lateral Throat
Security	Lock with key
Grid	Retractable front end
Compressor	Standard; 220-240 V; 50Hz; Gas R600a
Energy Class	G Climatic N-ST
Consumption Kwh Year	141 KWh year
Quietness	38dB
Door Reversibility	Reversible
Measures (Hxlxp) Cm	Product 82x59,5x58,5 Packaging 87,4x62,5x66
Product Weight	Net Weight Gross: 47 49 kg
Ean Code	0666186409725





L 60 cm











CELLAR 52 BOTTLES 1 TEMPERATURES NNW82-50S-BFG-NH | List € 2.100 Installation: Undertop | Free Standing

Capacity Ca.	Capacity approx. 52 bottles (75 Cl. Bordeaux type)
Control Type	Computer evoluto, Soft Touch, Display LCD
No. of Zones Temp.	Single Temperature
Zone Temp.	Adjustable from 2 20°C
No. of Internal Shelves	6 Sliding shelves
Type of Shelves	4 Wooden Storage Shelves
•	2 Wooden shelves for Pouring
Internal Lighting	LED light 3 colors
	Double horizontal and vertical emission
Filter	Activated carbon filter
Heater	Single Indoor Heater
Door Finish	Black Full Glass
Door Insulation	Triple Low-Emission Glass
Handle	Lateral Throat
Security	Lock with key
Grid	Retractable front end
Compressor	Standard; 220-240 V; 50Hz; Gas R600a
Energy Class	G Climatic N-ST
Consumption Kwh Year	141 KWh year
Quietness	41dB
Door Reversibility	Reversible
Measures (Hxlxp) Cm	Product 82x59,5x58,5 Packaging 87,4x62,5x66
Product Weight	Net Weight Gross: 45 47 kg
Ean Code	0666186409671




Wooden Shelf for Pouring



Wooden Storage Shelf



NW9S-BFG-H Measures:




NO. OF BOTTLES:


The maximum capacity is expressed in No. of "Standard Bordeaux" type bottles. The number of bottles shown in the catalog takes as reference the 750-ml Classic Bordeaux type (sizes H 30mm and Ø 70 mm.) Any other type of bottle changes the capacity.

All wooden shelves are removable and removable so that there is more space to hold any large bottles such as magnums or bottles with unconventional shapes.





NNW82-20D-BFG-NH NNW82-20S-BFG-NH Measures:






NNW82-30D-BFG-NH NNW82-30S-BFG-NH Measures:








NNW82-50D-BFG-NH NNW82-50D-SS-NH NNW82-50S-BFG-NH Measures:





NO. OF BOTTLES:

The maximum capacity is expressed in No. of "Standard Bordeaux" type bottles. The number of bottles shown in the catalog takes as reference the 750-ml Classic Bordeaux type (sizes H 30mm and Ø 70 mm.) Any other type of bottle changes the capacity.

All wooden shelves are removable and removable so that there is more space to hold any large bottles such as magnums or bottles with unconventional shapes.





DOUBLE TEMPERATURE

H 180 cm WITH HANDLE



NNW180-150D-BFG List € 4.190

H 180 cm NO HANDLE



NNW180-150D-BFG-NH List € 3.950

H 180 cm



NW180D-SS List € 4.190



NNW180-150S-BFG List € 4.050



NNW180-150S-BFG-NH List € 3.800

H 180 cm



Configuration example:

TRIPLE TEMPERATURE

Formed by two cellars in side-by-side integral installation or free standing.

Cellar consisting of :

- 1 NNW180-150S-BFG
- 1 NNW180-150D-BFG



Configuration example:

QUADRUPLE TEMPERATURE

Formed by two cellars in side-by-side integral installation or free standing.

- Cellar consisting of: 1 NNW180-150D-BFG-NH
- 1 NNW180-150D-BFG-NH



The Range of Nevada wine cellars with Integral or Free-standing installation are perfect for long-term storage of a large number of bottles thanks to the large capacity, which can be further expanded by adding the dedicated Kit that brings the capacity to a maximum of approx. 180 Bordeaux-type 75 cl Bottles.

Thanks to the front air ventilation at the inlet and outlet, these wine cellars can be integrated into kitchens because they are equipped with a front grille for air ventilation, attention should be paid to the fact that the depth is about 70 cm and therefore it is likely that the door is not aligned with the kitchen doors.

Always well-lit interior thanks to the full-height vertical dual LED interior light.

Customize your wine cellar by choosing from 3 different light colors, your bottles will always remain clearly visible.





Professional performance thanks to the advanced control with Lcd Touch Display that allows you to easily manage the internal temperature

Maximum Flexibility of use thanks to the Independent Dual Temperature, you can adjust the temperature from +2°C to +20°C to your liking in every cellar compartment

UV Rays are harmful, they can cause chemical reactions in wines, so the Door is equipped with a Triple Low-Emission Glass so as to better protect your wines.

To ensure optimal air quality at all times, Nevada wine cellars are equipped with Dual Activated Carbon Filters, which eliminate odors that can affect the taste of wine and protect bottle corks from mold and bacteria.



Wooden Shelf for Pouring

The new multi-purpose wooden shelf allows maximizing the capacity of bottles inside. It allows use both for storing wine horizontally and, if necessary, by tilting the slats, transforming it into a shelf for pouring wine.

All Integral models are equipped with a key lock, so you can protect and control access to your fine wine collection.





OPTIONAL ADDITIONAL EQUIPMENT OPTIONAL D | List € 450

Capacity Approx.	Capacity for about 150 bottles
No. Internal	Approx. 180 (75 Cl. Bordeaux type)
Shelves	6 Sliding shelves
Shelves Type	3 Wooden shelves for Pouring
	3 Wooden Storage Shelves

Thanks to the Optional Kit D specifically for the Double Temperature version, it allows to increase the capacity of the wine cellar by adding to the standard equipment 6 Internal Shelves, the capacity increases from approx. 150 bottles to approx. 180 Bottles



NNW180-150D-BFG | NH



OPTIONAL ADDITIONAL EQUIPMENT OPTIONAL S | List € 540

Capacity Approx.	Capacity for about 150 bottles	
	Approx. 180 (75 Cl. Bordeaux type)	
No. Internal	8 Sliding shelves	
Shelves	4 Wooden shelves for Pouring	
Shelves Type	4 Wooden Storage Shelves	

Thanks to the Optional Kit S specifically for the Single Temperature version, it allows to increase the capacity of the wine cellar by adding 8 Internal Shelves to the standard equipment, the capacity increases from approx. 150 bottles to approx. 180 Bottles.



NNW180-150S-BFG | NH





H 180 cm



CELLAR 150 BOTTLES 2 TEMPERATURES NNW180-150D-BFG | List € 4.190 Installation: Integral | Free-Standing

Capacity Approx.	Capacity approx. 150 bottles (75 Cl. Type Bordeaux)
Control Type	Advanced Computer, Soft Touch, Display LCD
No. of Zones Temp.	Double Independent Temperature
Upper zone Temp.	Adjustable from 2 20°C
Lower zone Temp.	Adjustable from 2 20°C
No. of Internal Shelves	9 Sliding shelves
Type of Shelves	5 Wooden Storage Shelves
	2 Wooden shelves for Pouring
	2 Fixed metal service shelf
Internal Lighting	LED light 3 colors
	Double horizontal and vertical emission
Filter	Double Activated Carbon Filter
Heater	Double Indoor Heater
Door Finish	Black Full Glass
Door Insulation	Triple Low-Emission Glass
Handle	Black Square
Security	Lock with key
Grid	Front Fixed
Compressor	Inverter 220-240 V; 50Hz - 60Hz; Gas R600a
Energy Class	G Climatic N-ST
Consumption Kwh Year	173 KWh year
Quietness	44dB
Door Reversibility	Reversible
Measures (Hxlxp) Cm	Product 180x59,5x69,5 Packaging 186,6x64,5x77
Product Weight	Net Weight Gross: 101 119 kg
Ean Code	0666186409879







Wooden Shelf for Pouring



Wooden Storage Shelf





H 180 cm



CELLAR 150 BOTTLES 1 TEMPERATURE NNW180-150S-BFG | List € 4.050 Installation: Integral | Free-standing

Capacity Approx.	Capacity approx. 150 bottles (75 Cl. Bordeaux type)
Control Type	Advanced Computer, Soft Touch, Display LCD
No. of Zones Temp.	Single Temperature
Zone Temp.	Adjustable from 2 20°C
No. of Internal Shelves	8 Sliding shelves
Type of Shelves	3 Wooden Storage Shelves
•	2 Wooden Shelves for Pouring
	3 Fixed metal service shelf
Internal Lighting	LED light 3 colors
	Double horizontal and vertical emission
Filter	Activated carbon filter
Heater	Single Indoor Heater
Door Finish	Black Full Glass
Door Insulation	Triple Low-Emission Glass
Handle	Black Square
Security	Lock with key
Grid	Front Fixed
Compressor	Inverter 220-240 V; 50Hz - 60Hz; Gas R600a
Energy Class	G Climatic N-ST
Consumption Kwh Year	155 KWh year
Quietness	38dB
Door Reversibility	Reversible
Measures (Hxlxp) Cm	Product 180x59,5x69,5 Packaging 186,6x64,5x77
Product Weight	Net Weight Gross: 101 119 kg
Ean Code	0666186409886







Wooden Shelf for Pouring



Wooden Storage Shelf







Available from July

CELLAR 150 BOTTLES 2 TEMPERATURES NNW180-150D-BFG-NH | List € 3.950 Installation: Integral | Free-standing

Capacity Approx.	Capacity approx. 150 bottles (75 Cl. Bordeaux type)		
Control Type	Type Advanced Computer, Soft Touch, Display LCD		
No. of Zones Temp.	Double Independent Temperature		
Upper zone Temp.	Adjustable from 2 20°C		
Lower zone Temp.	Adjustable from 2 20°C		
No. of Internal Shelves	9 Sliding shelves		
Type of Shelves	5 Wooden Storage Shelves		
•	2 Wooden shelves for Pouring		
	2 Fixed metal service shelf		
Internal Lighting	LED light 7 colors		
	Double horizontal and vertical emission		
Filter	Double Activated Carbon Filter		
Heater	Double Indoor Heater		
Door Finish	Black Full Glass		
Door Insulation	Triple Low-Emission Glass		
Handle	Vertical Throat		
Security	Lock with key		
Grid	Front Fixed		
Compressor	Inverter 220-240 V; 50Hz - 60Hz; Gas R600a		
Energy Class	G Climatic N-ST		
Consumption Kwh Year	173 KWh year		
Quietness 44dB			
Door Reversibility	Reversible		
Measures (Hxlxp) Cm	Product 180x59,5x69,5 Packaging 186,6x64,5x77		
Product Weight	Net Weight Gross: 101 119 kg		
Ean Code	0666186409893		



Fixed Metal Service Shelf



Wooden Shelf for Pouring



Wooden Storage Shelf







Available from July

CELLAR 150 BOTTLES 1 TEMPERATURE NNW180-150S-BFG-NH | List € 3.800 Installation: Integral | Free-standing

Capacity Approx.	Capacity approx. 150 bottles (75 Cl. Bordeaux type)	
Control Type	Advanced Computer, Soft Touch, Display LCD	
No. of Zones Temp.	Single Temperature	
Zone Temp.	Adjustable for 2 20°C	
No. of Internal Shelves	8 Sliding shelves	
Type of Shelves	3 Wooden Storage Shelves	
	2 Wooden shelves for Pouring	
	3 Fixed metal service shelf	
Internal Lighting	LED light 7 colors	
	Double horizontal and vertical emission	
Filter	Activated carbon filter	
Heater	Single Indoor Heater	
Door Finish	Black Full Glass	
Door Insulation	Triple Low-Emission Glass	
Handle	Vertical Throat	
Security	Lock with key	
Grid	Front Fixed	
Compressor	Inverter 220-240 V; 50Hz - 60Hz; Gas R600a	
Energy Class	G Climatic N-ST	
Consumption Kwh Year	155 KWh year	
Quietness	38dB	
Door Reversibility	Reversible	
Measures (Hxlxp) Cm	Product 180x59,5x69,5 Packaging 186,6x64,5x77	
Product Weight	Net Weight Gross: 101 119 kg	
Ean Code	0666186409909	







Wooden Shelf for Pouring



Wooden Storage Shelf







CELLAR 180 BOTTLES 2 TEMPERATURES NW180D-SS | List € 4.190

Installation:	Integral	Free-standing
msiumumom.	megrai	i ree-statiuitig

Capacity Approx.	Capacity approx. 174 bottles (75 Cl. Bordeaux type)		
Control Type	Advanced Computer, Soft Touch, Display LCD		
No. of Zones Temp.	Double Independent Temperature		
Upper zone Temp.	Adjustable from 2 20°C		
Lower zone Temp.	Adjustable from 2 20°C		
No. of Internal Shelves	15 Sliding shelves		
Type of Shelves	5 Wooden Storage Shelves		
•	6 Wooden shelves for Pouring		
	4 Fixed metal service shelf		
Internal Lighting	LED light 3 colors		
	Double horizontal and vertical emission		
Filter	Double Activated Carbon Filter		
Heater	Double Indoor Heater		
Door Finish	Satin Steel		
Door Insulation	Triple Low-Emission Glass		
Handle	Inox Squared		
Security	Lock with key		
Grid	Front Fixed		
Compressor	Inverter 220-240 V; 50Hz - 60Hz; Gas R600a		
Energy Class	G Climatic N-ST		
Consumption Kwh Year 173 KWh year			
Quietness	44dB		
Door Reversibility	lity Reversible		
Measures (Hxlxp) Cm	Product 180x59,5x69,5 Packaging 186,6x64,5x77		
Product Weight	Net Weight Gross: 101 119 kg		
Ean Code 0607111417880			







Wooden Shelf for Pouring



Wooden Storage Shelf





NNW180-150D-BFG-NH

NNW180-150D-BFG-NH



CONFIGURATION EXAMPLE ADJACENT CELLAR 300 BOTTLES AND 4 TEMPERATURES COMPOSED BY:

1 | NNW180-150D-BFG-NH List € 3.950

1 | NNW180-150D-BFG-NH List € 3.950

Installation: Integral | Free-standing

Capacity Approx.	Capacity approx. 300 bottles (75 Cl. Type Bordeaux)		
Control Type	Advanced Computer, Soft Touch, Display LCD		
No. of Zones Temp.	Quadruple Independent Temperature		
Upper zone Temp.	Adjustable from 2 20°C		
Lower zone Temp.	Adjustable from 2 20°C		
No. of Internal Shelves	18 Sliding shelves		
Type of Shelves	10 Wooden Storage Shelves		
	4 Wooden Shelves for Pouring		
•	4 Fixed metal service shelf		
Internal Lighting	LED light 3 colors		
	Double horizontal and vertical emission		
Filter	Quadruple Activated Carbon Filter		
Heater	Quadruple Indoor Heater		
Door Finish	Black Full Glass		
Door Insulation	Triple Low-Emission Glass		
Handle	Vertical Throat		
Security	Lock with key		
Grid	Front Fixed		
Compressor	Inverter 220-240 V; 50Hz - 60Hz; Gas R600a		
Energy Class	G Climatic N-ST		
Consumption Kwh Year	173 KWh year		
Quietness	44dB		
Door Reversibility	Mirror opening reversible		
Measures (Hxlxp) Cm	Product 2x 180x59,5x69,5		
	Packaging 2x 186,6x64,5x77		
Product Weight	Weight 2x Net Gross: 101 119 kg		



Fixed Metal Service Shelf



Wooden Shelf for Pouring



Wooden Storage Shelf





NNW180-150S-BFG

NNW180-150D-BFG



ESEMPO DI CONFIGURAZIONE ADJACENT CELLAR 300 BOTTLES AND 3 TEMPERATURES COMPOSED BY:

- 1 | NNW180-150S-BFG List € 4.050
- 1 | NNW180-150D-BFG List € 4.190

Installation: Integral | Free-standing

•	• •		
Capacity Approx.	Capacity approx. 300 bottles (75 Cl. Bordeaux type)		
Control Type	Advanced Computer, Soft Touch, Display LCD		
No. of Zones Temp.	Triple Temperature Independent		
Temp. Upper right zone	Adjustable from 2 20°C		
Temp. Lower right zone	Adjustable from 2 20°C		
Temp. Left Zone	Adjustable from 2 20°C		
No. of Internal Shelves	17 Sliding shelves		
Type of Shelves	8 Wooden Storage Shelves		
•	4 Wooden shelves for Pouring		
	5 Fixed metal service shelf		
Internal Lighting	LED light 3 colors		
	Double horizontal and vertical emission		
Filter	Triple Activated Carbon Filter		
Heater	Triple Indoor Heater		
Door Finish	Black Full Glass		
Door Insulation	Triple Low-Emission Glass		
Handle	Black Squared		
Security	Lock with key		
Grid	Front Fixed		
Compressor	Inverter 220-240 V; 50Hz - 60Hz; Gas R600a		
Energy Class	G Climatic N-ST		
Consumption Kwh Year	173 KWh year		
Quietness	38dB		
Door Reversibility	Mirror opening reversible		
Measures (Hxlxp) Cm	Product 2x 180x59,5x69,5		
	Packaging 2x 186,6x64,5x77		
Product Weight	Weight 2x Net Gross: 101 119 kg		



Fixed Metal Service Shelf




Wooden Shelf for Pouring



Wooden Storage Shelf







NO. OF BOTTLES:

The maximum capacity is expressed in No. of "Standard Bordeaux" type bottles. The number of bottles shown in the catalog takes as reference the 750-ml Classic Bordeaux type (sizes H 30mm and Ø 70 mm.) Any other type of bottle modifies the capacity.

All the wooden shelves are removable and removable so that there is more space to hold any large bottles such as magnums or bottles with unconventional shapes.









NVD180-160D-BFG List € 3.200

H 180 cm



EX. OF 320-BOTTLE, 2-TEMPERATURES PULL-IN CONFIGURATION COMPOSED BY: NVD180-160S-BFG-R



NVD180-160S-BFG List € 3.100



L 40 cm

H 120 cm



VD40D-FG List € 1.190

	L 47.4 cm	L 49.5 cm	L 49.5 cm	L 37 cm
H 52 cm	3 % L		Н 93 СВ	
	Truracest (WASTE STATE OF THE		
	VD19SMC2 List € 490	VD40SMCW List € 790	VD60SCSW List € 890	NVD90-24S List € 850



The VINUMdesign® wine cellar collection was created to meet the needs of the HO.RE.CA. world.

The new VINUMdesign® wine cellar collection is a jewel of high class and elegance. The special attention paid to aesthetics, low energy consumption, compact size, and attention to every detail make VINUMdesign® wine cellars suitable for any environment, whether for domestic or professional use.

The Inner Shelves are equipped with a black front batten, with which you can note e.g., the origin, grape variety or vintage of the wine.

Thanks to the water-based marker pen, which is provided, the writing on the batten can be easily erased.

Always well-lit interior thanks to the white LED interior light with double vertical full-height light emission, the bottles will always remain so well visible.

All the interior Shelves are made of fine wood and offer a variety of uses, so you can always store your wine in the best possible way.

Thanks to telescopic guides, the shelves are easily removable, making it easier to insert and remove bottles Full Glass Black Door with Square Black Handle



Wooden Shelf for Pouring

The new multi-purpose wooden shelf allows maximizing the capacity of bottles inside. It allows use both for storing wine horizontally and if necessary, by tilting the slats, transforming it into a wine-mixing shelf.

UV Rays are harmful, they can cause chemical reactions in wines, so the Door is equipped with a Triple Low-Emission Glass w/Argon gas so as to better protect your wines.

Fixed Metal Service Shelf

The Fixed Metal Service Shelf allows a large number of bottles to be arranged vertically. Ideal for keeping bottles that will be used during service within easy reach.





Professional performance thanks to the advanced control with LED Touch Display that allows you to easily manage the internal temperature.

The New VINUMdesign® wine cellars designed especially for the professional world as well are available in Mono or Double temperature adjustable from a minimum of 3°C to a maximum of 20°C so you can always store your wine at the correct temperature.




The new VINUMdesign® wine cellars can also be placed in Living rooms due to their quietness of only 38 db.

Equipped with Inverter compressors, in addition to being quiet, they are also very efficient with low consumption of only 133 Kwh/year in energy class F.

Protecting a collection of fine wines is a great responsibility, which is why the new VINUMdesign® wine cellars are equipped with a key lock. Placed at the bottom, the lock is very discreet and almost invisible, leaving the design of the door untouched.

NVD180-160S-BFG-L + NVD180-160S-BFG-R



Specifically designed to meet the demands of the HO.RE.CA world, the new free-standing wine cellars make the most of the internal capacities, accommodating up to 160 bottles of 75 Cl. Bordeaux type.

With the new VINUMdesign® wine cellars, it is possible to create customized configurations according to one's needs by combining one or more wine cellars, thus creating walls of the desired width and number of temperature zones.

Configuration example:

640 BottLES 4 Temperatures - Width 246 cm: 2x NVD180-160S-BFG-L + 2x NVD180-160S-BFG-R





H 52 cm



CELLAR 19 BOTTLES 1 TEMPERATURE VD19SMC2 | List € 490 Installation: Free-Standing

Capacity Approx.	Capacity approx. 19 bottles (75 Cl. Bordeaux type)	
Control Type	Digital Touch Screen on the Glass Door	
No. of Zones Temp.	Single Temperature	
Temp. zone	Adjustable from 5 18°C	
No. of Internal Shelves	3 Shelves + stave in chrome-plated steel	
Internal Lighting	Blue LED light Single horizontal emission	
Door Finish	Black Full Glass	
Door Insulation	Double Glass Low-Emission	
Handle	Without Handle	
Compressor	Standard; 220-240 V; 50Hz; Gas R600a	
Energy Class	G	
Climate Class	N	
Consumption Kwh Year	130 KWh year	
Quietness	40dB	
Door Reversibility	Right hinge not reversible	
Measures (Hxlxp) Cm	Product 51,6x47,4x43,5 Packaging54x51x46,5	
Product Weight	Net Weight Gross: 17,5 19,5 kg	
Ean Code	0705586955613	



H 85 cm

STANDARD VENTILATION	DOUBLE ANTI UV GLASS	ANTI- VIBRATION SYSTEM	ENERGY CLASS - G	NO HANDLE

CELLAR 32 BOTTLES 1 TEMPERATURE VD40SMCW | List € 790 Installation: Free-Standing

Capacity Approx.	Capacity approx. 32 bottles (75 Cl. Bordeaux type)	
Control Type	Digital Touch Screen on the Glass Door	
No. of Zones Temp.	Single Temperature	
Temp. zone	Adjustable from 5 18°C	
No. of Internal Shelves	4 Internal Shelves	
Type of Shelves	3 Wooden Storage Shelves	
	1 wooden stave	
Internal Lighting	Blue LED light Single horizontal emission	
Door Finish	Black Full Glass	
Door Insulation	Double Glass Low-Emission	
Handle	Without Handle	
Compressor	Standard; 220-240 V; 50Hz; Gas R600a	
Energy Class	G	
Climate Class	N	
Consumption Kwh Year	151 KWh year	
Quietness	41dB	
Door Reversibility	Right hinge not reversible	
Measures (Hxlxp) Cm	Product 83,3x49,5x43,3 Packaging 88x53,5x46,5	
Product Weight	Net Weight Gross: 27 30 kg	
Ean Code	0705586955606	





H 120 cm



CELLAR 40 BOTTLES 2 TEMPERATURES VD40D-FG | List € 1.190 Installation: Free-Standing

Capacity Approx.	Capacity approx. 34 40 bottles (75 Cl. Bordeaux)	
Control Type	Digital touch screen on the glass	
No. of Zones Temp.	Double Independent Temperature	
Upper zone Temp.	Adjustable from 3 20°C	
Lower zone Temp.	Adjustable from 3 20°C	
No. of Internal Shelves	9 Internal Shelves	
Type of Shelves	6 Standard Shelves	
	2 Small Metal and Wood Shelves Dual Use	
	1 large triple use	
Internal Lighting	White LED light	
	Double horizontal and vertical emission	
Filter	Double Activated Carbon Filter	
Heater	Double Indoor Heater	
Door Finish	Black Full Glass	
Door Insulation	Triple Low-Emission Glass	
Handle	Without Handle	
Compressor	Standard; 220-240 V; 50Hz; Gas R600a	
Energy Class	G Climatic N	
Consumption Kwh Year	155 KWh year	
Quietness	46dB	
Door Reversibility	Right hinge not reversible	
Measures (Hxlxp) Cm	Product 120,5x40x52,6 Packaging 126x46x58,7	
Product Weight	Net Weight Gross: 44 48 kg	
Ean Code	0705586955965	



H 85 cm



CELLAR 60 BOTTLES 1 TEMPERATURE VD60SCSW | List € 890 Installation: Free-Standing

Capacity Approx.	Capacity approx. 51 60 bottles (75 Cl. Bordeaux)	
Control Type	Digital touch screen on the glass	
No. of Zones Temp.	Single Temperature	
Zone Temp.	Adjustable from 5 18°C	
No. of Internal Shelves	4 Internal Shelves	
Type of Shelves	Wooden Storage Shelves	
Internal Lighting	Blue LED light Single horizontal emission	
Door Finish	Satin Steel	
Door Insulation	Double Glass Low-Emission	
Handle	Inox	
Security	Lock with key	
Compressor	Standard; 220-240 V; 50Hz; Gas R600a	
Energy Class	G Climatic N	
Consumption Kwh Year	156 KWh year	
Quietness	47dB	
Door Reversibility	Right hinge not reversible	
Measures (Hxlxp) Cm	Product 83,3x49,5x55,5 Packaging 88x53,5x60,5	
Product Weight	Net Weight Gross: 34 37 kg	
Ean Code	0705586955637	





Available from July

CELLAR 164 BOTTLES 2 TEMPERATURES NVD180-160D-BFG-R | L List € 3.200 Installation: Free-Standing

Capacity Approx.	Capacity approx. 164 bottles (75 Cl. Type Bordeaux)	
Control Type	Advanced Computer, Soft Touch, Display LED	
No. of Zones Temp.	Double Temperature	
Upper zone Temp.	Adjustable from 3 20°C	
Lower zone Temp.	Adjustable from 3 20°C	
No. of Internal Shelves	6 Sliding Shelves on Telescopic Guides	
Type of Shelves	1 Wooden Storage Shelves	
	2 Service Shelves	
•	3 Wooden shelves for Pouring	
Internal Lighting	White LED Light Double Vertical Emission	
Filter	Activated carbon filter	
Heater	Single Indoor Heater	
Door Finish	Black Full Glass	
Door Insulation	Triple Low-Emission Glass w/ Argon Gas	
Handle	Black Squared	
Security	Lock with key	
Compressor	Inverter 220-240 V; 50Hz - 60Hz; Gas R600a	
Energy Class	F Climatic ST	
Consumption Kwh Year	133 KWh year	
Quietness	38dB	
Door Reversibility	R Right Hinge L Left Hinge	
Measures (Hxlxp) Cm	Product 186,7x59,5x69,8 Packaging 192x65,5x76	
Product Weight	Net Weight Gross: 90 97 kg	
Ean Code	R 0666186409954 L 0666186409961	





Wooden Shelf for Pouring With Customizable Insert



Wooden Storage Shelf With Customizable Insert















Available from July

CELLAR 160 BOTTLES 1 TEMPERATURE NVD180-160S-BFG-R | L List € 3.100 Installation: Free-Standing

Capacity Approx.	Capacity approx. 160 bottles (75 Cl. Type Bordeaux)	
Control Type	Advanced Computer, Soft Touch, Display LED	
No. of Zones Temp.	Single Temperature	
Zone Temp.	Adjustable from 3 20°C	
No. of Internal Shelves	5 Sliding Shelves on Telescopic Guides	
Type of Shelves	4 Service Shelves	
•	1 Wooden shelves for Pouring	
Internal Lighting	White LED Light Double Vertical Emission	
Filter	Activated carbon filter	
Door Finish	Black Full Glass	
Door Insulation	Triple Low-Emission Glass w/ Argon Gas	
Handle	Black Squared	
Security	Lock with key	
Compressor	Inverter 220-240 V; 50Hz - 60Hz; Gas R600a	
Energy Class	F Climatic ST	
Consumption Kwh Year	133 KWh year	
Quietness	38dB	
Door Reversibility	R Right Hinge L Left Hinge	
Measures (Hxlxp) Cm	Product 186,7x59,5x69,8 Packaging 192x65,5x76	
Product Weight	Net Weight Gross: 90 97 kg	
Ean Code	R 0666186409978 L 0666186409985	







Fixed Metal Service Shelf With Customizable Insert



NVD180-160S-BFG-L

NVD180-160S-BFG-R



CONFIGURATION EXAMPLE ADJACENT CELLARS 320 BOTTLES 2 TEMPERATURES COMPOSED BY:

1 | NVD180-160S-BFG-L List € 3.100 1 | NVD180-160S-BFG-R List € 3.100

Installation: Free-Standing

Capacity Ca.	Capacity approx. 320 bottles (75 Cl. Bordeaux type)	
Control Type	Advanced Computer, Soft Touch, Display LED	
No. of Zones Temp.	Double Temperature	
Right Zone Temp.	Adjustable from 3 20°C	
Left Zone Temp	Adjustable from 3 20°C	
No. of Internal Shelves	10 Sliding Shelves on Telescopic Guides	
Type of Shelves	8 Service Shelves	
•	2 Wooden shelves for Pouring	
Internal Lighting	White LED Light Double Vertical Emission	
Filter	Double Activated Carbon Filter	
Door Finish	Black Full Glass	
Door Insulation	Triple Low-Emission Glass w/ Argon Gas	
Handle	Black Squared	
Security	Lock with key	
Compressor	Inverter 220-240 V; 50Hz - 60Hz; Gas R600a	
Energy Class	F Climatic ST	
Consumption Kwh Year	133 KWh year	
Quietness	38dB	
Door Reversibility	Mirror opening non-reversible	
Measures (Hxlxp) Cm	Product 2x 186,7x59,5x69,8	
	Packaging 2x (HxLxP) cm: 192x65,5x76	
Product Weight	Weight 2x Net Gross: 90 97 kg	



Wooden Shelf for Pouring With Customizable Insert



Fixed Metal Service Shelf With Customizable Insert












Available from July

CELLAR 24 BOTTLES 1 TEMPERATURE NVD90-24S-BLACK | RED | WHITE List € 850 Installation: Free-Standing

Capacity Ca.	Capacity approx. 24 bottles (75 Cl. Bordeaux type)	
Control Type	Advanced Computer, Soft Touch, Display LCD	
No. of Zones Temp.	Single Temperature	
Zone Temp	Adjustable from 5 20°C	
No. of Internal Shelves	5 Internal Shelves	
Type of Shelves	Wooden Storage Shelves	
Internal Lighting	White LED Light Single horizontal emission	
Door Finish	Black	
Door Insulation	Triple Low-Emission Glass	
Handle	Without Handle	
Compressor	Standard; 220-240 V; 50Hz; Gas R600a	
Energy Class	F Climatic SN-ST-N	
Consumption Kwh Year	98 KWh year	
Quietness	37dB	
Door Reversibility	Right hinge not reversible	
Measures (Hxlxp) Cm	Product 92,8x36,6x47,6 Packaging 97,5x42,5x55	
Product Weight	Net Weight Gross: 22 24 kg	
Ean Code	0666186409947 Black 0666186409923 Red	
	0666186409930 White	








NVD90-24S-RED



NVD90-24S-WHITE




VD19SMC2 Measures:








VD40SMCW Measures:



VD40D-FG Measures:








VD60SCSW Measures :



NVD90-24S-BLACK | RED | WHITE Measures:











NVD180-160D-BFG NVD180-160S-BFG Measures:





NO. OF BOTTLES:

The maximum capacity is expressed in No. of "Standard Bordeaux" type bottles. The number of bottles shown in the catalog takes as reference the 750-ml Classic Bordeaux type (sizes H 30mm and Ø 70 mm.) Any other type of bottle modifies the capacity.

All wooden shelves are removable and removable so that there is more space to hold any large bottles such as magnums or bottles with unconventional shapes.









THRILL

THRILL THE BEST SOLUTION FOR SANITIZING AND REFRIGERATING GLASSES INSTANTLY

Deep sanitization, in seconds, keeps drinks fresh for a long time without watering them down. Cold glass sanitization is crucial not only from a strictly hygienic point of view. Invisible post-wash residues can corrupt the flavors and odors of beverages, compromising the quality of the served product.

CO2 CONSUMPTION TABLE

You can cool glass or plastic containers of any size: small, medium, large and very large :

Measure		Sanitizes and cools	Sanitizes and freezes	
Small Size	PIP	2 Sec. 1 SHOT (10 gr)	4 Sec. 2 SHOT (20 gr)	
Medium Size	YOD	3 Sec. 1 SHOT (15 gr)	5 Sec. 2 SHOT (25 gr)	
Large Size	Doz	3 Sec. 1 SHOT (15 gr)	9 Sec. 3 SHOT (40 gr)	
Very Large Size		5 Sec. 1 SHOT (25 gr)	10 Sec. 2 SHOT (50 gr)	

ANALYSIS OF THE UNIVERSITY OF UDINE

Summary table of the analysis performed with comparison of contamination of treated and untreated surfaces.

Inoculated microorganism	Non-treated glass	Treated glass
Salmonella enteritidis	9 x 10 ²	< 1 x 10 ² (> 88 %)
Staphylococcus aureus	6 x 10 ²	< 1 x 10 ² (> 83 %)
Escherichia coli	8 x 10 ²	< 1 x 10 ² (> 87 %)
Penicillium nalgiovense	2 x 10 ²	1 x 10 ² (> 83 %)
Listeria innocua	5 x 10 ²	1 x 10 ³ (80 %)
Pseudomonas putida	3 x 10 ²	1 x 10 ⁵ (> 66 %)
Brettanomyces bruxellensis	2 x 10 ²	< 1 x 10 ² (> 50 %)

CO2 CYLINDER | BUY AND REFILL your cylinder straight to your door


The service allows the end consumer to purchase | refill the cylinder directly at home.

Operated with returnable vacuum and refillable through refill service that can be purchased as indicated on the website www.nevadaeurope.com/shop-bombole

Sign in and register to use the service!



Scan the QR to access the Shop









BUILT-IN GLASS FREEZER VORTEX F1 SBI INOX | List € 1.800 △ Installation: Bult-in Flush

Type Of Control	Physical operation key	
Electronic	Tropicalized electronics for outdoor use	
Built-in Base	Insertion from bases 25 cm wide	
Finish	100% Brushed Stainless Steel	
Refrigerant Gas	CO ₂ E290	
Cylinder Type	CO2 cylinder with dip tube (not included)	
CO2 tube length	Mt. 2.80 (including solenoid valve connection)	
Power supply	Rechargeable battery from 12 V-100/240v AC Plu	
Mains voltage	100-240 V ~ AC	
Frequency	50-60 Hz	
Maximum power	50 W	
Accessories	Floor mounting kit and Battery charger included	
Visible plane dimensions	cm 22 x 22	
Recessed hole	cm 19,5 x 19,5	
Depth from plane	cm 20 with battery cm 13 without battery	
Quiteness	37dB	
Product Weight	4,5 kg with battery 3 kg approx. without battery	

In case of using ERT extension cord, please order prepared version

Code: VORTEX F1 SBI INOX ERT



BUILT-IN GLASS FREEZER VORTEX F1 SBI PVD BLACK | List € 2.150 △ Installation: Bult-in Flush

Type Of Control	Physical operation key	
Electronic	Tropicalized electronics for outdoor use	
Built-in Base	Insertion from bases 25 cm wide	
Finish	PVD Black	
Refrigerant Gas	CO ₂ E290	
Cylinder Type	CO2 cylinder with dip tube (not included)	
CO2 tube length	Mt. 2.80 (including solenoid valve connection)	
Power supply	Rechargeable battery from 12 V-100/240v AC Plu	
Mains voltage	100-240 V ~ AC	
Frequency	50-60 Hz	
Maximum power	50 W	
Accessories	Floor mounting kit and Battery charger included	
Visible plane dimensions	cm 22 x 22	
Recessed hole	cm 19,5 x 19,5	
Depth from plane	cm 20 with battery cm 13 without battery	
Quiteness	37dB	
Product Weight	4,5 kg with battery 3 kg approx. without battery	

In case of using ERT extension cord, please order prepared version

Code: VORTEX F1 SBI INOX ERT







GLASS FREEZER VORTEX CUBE INOX | List € 1.830 ∆ Installation: Free-Standing

Type Of Control	Pressure type	
Electronic	Tropicalized electronics for outdoor use	
Finish	100% Brushed Stainless Steel	
Refrigerant Gas	CO ₂ E290	
Cylinder Type	CO2 cylinder with dip tube (not included)	
CO2 tube length	Mt. 2.80 (including solenoid valve connection)	
Power supply	12 V-100/240v AC Plug Rechargeable Battery	
Mains voltage	100-240 V ~ AC	
Frequency	50-60 Hz	
Maximum power	50 W	
Charger	included	
Mieasures (Hxlxp) Cm	17 x 20 x 20	
Quiteness	37dB	
Product Weight	6 kg	

In case of using ERT extension cord, please order prepared version

Code: VORTEX F1 SBI INOX ERT



MOBILE GLASS FREEZER VORTEX TOWER INOX | List € 6.000 ∆ Installation: Free-Standing

Type Of Control	Physical operation key	
Electronic	Tropicalized electronics for outdoor use	
Positioning	Mobile, transportable anywhere on wheels	
Finish	Brushed Stainless Steel IROKO Wooden Top	
Interchangeable accessories	Glass and basket holder	
Refrigerant Gas	CO ₂ E290	
Cylinder Type	CO2 cylinder with dip tube (not included)	
Power supply	12 V-100/240v AC Plug Rechargeable Battery	
Mains voltage	100-240 V ~ AC	
Frequency	50-60 Hz	
Maximum power	50 W	
Security	Cylinder compartment with sealing straps	
Mieasures (Hxlxp) Cm	$102 \times 52 \times 40$ without 83 with accessories	
Wheels	4 stainless steel wheels with wear-resistant rubbe	
Product Weight	38 40 kg excluding cylinder (not included)	











CYLINDER CO₂ 4 KG | List € 110 net price CYLINDER CO₂ 10 KG | List € 210 net price Installation: Free-standing

Туре	Carbon dioxide in the liquid state	
Draft	Internal cylinder sucker	
Refrigerant Gas	CO ₂ E290	
Cylinder Type	CO2 cylinder with dip tube	
Product Weight	4 kg 10 kg	

POWER EXTENSION TUBE E.R.T. E.R.T. T8 MT | List € 180 net price E.R.T. T12 MT | List € 20 net price


Compatibility	Suitable for Cube and F1 Sbi ERT prepared models	
Finish	Black sheath	
Positioning	Extension to place the cylinder at 8 12 meters	
Type Of Command	End equipped with solenoid valve assembly	







BULT-IN GLASS FREEZER VORTEX F1 SBI

Measures: Bult-in installation | Recessed Hole 19,5 x 19,5 cm






GLASS FREEZER Free-Standing VORTEX CUBE Measures:



GLASS FREEZER Mobile VORTEX TOWER INOX Measures:











WINE SET IN BROWN WOODEN BOX Code NW417 | List € 88 Measures: | 27 x p 22 x h 7 cm



FINE STEEL CORKSCREW Code NW709 | List € 72 Measures: | 16,5 x p 17 x h 4 cm



1.5 LITER CRYSTAL DECANTER, | H 22 CM Code NW1510 | List € 48



WINE SAVER SET - PUMP + 2 CAPS Code NW425 | List € 26









• PRICE LIST.

All prices are transportation, WEEE and VAT excluded.

Prices shown are subject to change without notice.

SYMBOL A

Refer to dedicated business conditions.

WARRANTY & SERVICE

All products are covered by the legal warranty and the European Product Conformity Warranty under the Consumer Code.

To take advantage of the Warranty and Assistance, it is sufficient to open a Ticket and follow the procedure described on the website: www.nevadaeurope.com

CONTACTS

Administrative and Commercial Headquarters

20092 Cinisello Balsamo (MI) V.Margherita De Vizzi, 18 Tel: 02 30559080 Email: commerciale@nevadaeurope.com www.nevadaeurope.com

Warehouse | Collection of goods at Trasgo S.r.l.
 Via Guido il Grande 1
 28061 Biandrate (NO) - Italia

THE QUALITY TO EUROPEAN STANDARD

The **CE** mark certifies that all equipment conforms to European safety regulations. Strict controls follow the assembly of the cellars finally to their packaging and delivery.

COPYRIGHT

The information in this catalog is to be relied upon unless unintentionally technically inaccurate or misprinted. NEVADA, with the intention of offering new and better products, reserves the right to make any modifications, without specific notice, of a commercial, technical or aesthetic nature, therefore, the contents in this catalog are for information only and are therefore not binding.

Any reproduction or duplication or modification without prior written permission from the NEVADA brand property is prohibited.

The texts, images, logos and information contained in this catalog are subject to the copyright of NEVADA and its legitimate owners.



Nevada Europe

Via Margherita De Vizzi, 18 20092 Cinisello Balsamo (MI) | TALY nevadaeurope.com



whatsApp



WeChat



Line

<u>teo@lovewine.eu</u>

. +39-3921331196



. +86-19924105148